

ARRAY

With every Senator design comes a great deal of thought. The design process begins way before pencil reaches paper, beginning with looking at you. We look at how you sit, reach, move and work to create a design which not only looks beautiful, but is a pleasure to use too.

Behind every Senator product is a fusion of intelligent thinking and innovative engineering to create products which support people whether they're focusing, collaborating, presenting, or organizing.

ARRAY

STANDARD FEATURES (*Selected models only)

- Rigid cast Aluminum frame
- Full integrated cable management
- Fully lockable brake casters
- Nesting capabilities
- Gas assisted lift operation
- Single handle to unlock
- Integrated flexible swipe-in cable risers
- 1" TFL tops

SPECIFIABLE FEATURES

- Quadrants
- Modesty panels
- Aluminum cable riser

OPTIONAL EXTRAS


- Below desk power complete with flip unit
- In-surface power unit
- Flip in-surface power unit

PERFORMANCE STANDARDS

Designed to conform to and where applicable is tested to the following standards:

- BIFMA X5.5 × 2014
- Safety, Durability, and Structural Performance

DIMENSIONS



Rectangular
Widths. 48" - 72"
Depths. 24" & 30"




Half Round
Widths. 60"
Depth. 30"



Crescent 120°
Widths. 68"
Depth. 30"



Trapezoid
Widths. 60"
Depth. 30"



Polygon
Widths. 50" - 60"
Depth. 24" & 30"



Quadrants (Frameless)
Angle. 45° - 90°
Depth. 24" & 30"

STATEMENT OF LINE


[Back to Index](#)

STATEMENT OF LINE

ARRAY

● Available
□ Not available

Rectangular Frame
24" & 30" depth




Depth (in)	48"	54"	60"	66"	72"
24" D	●	●	●	●	●
30" D	●	●	●	●	●

ARRAY

● Available
□ Not available

Trapezoid
30" depth




60" Trapezoid



Depth (in)	60" W
30" D	●

Half Round
30" depths




60" Half Round



Depth (in)	60"
30" D	●

Polygon
24" & 30" depths



50" Polygon




60" Polygon



Depth (in)	50" W	60" W
24" D	●	□
30" D	●	●

120° Crescent
30" depths




68" Crescent




Depth (in)	68" W
30" D	●


Quadrants
24" & 30" depths



45° Quadrant



90° Quadrant



Depth (in)	45°	90°
24" D	●	●
30" D	●	●

Note: Quadrants are supplied with linking brackets

STATEMENT OF LINE

[Back to Index](#)

STATEMENT OF LINE

ARRAY

● Available
□ Not available

Modesty Panel



Modesty panels for Rectangular Tables



Height (in)	48"	54"	60"	66"	72"
6.5" H	●	●	●	●	●

Modesty Panel



Modesty panels for Shaped Tables



Height (in)	Half Round	Crescent	Trapezoid	Polygon Small	Polygon Large
6.5" H	●	●	●	●	●

"C" Leg Table Below Surface Power – Option A

Flip Top Unit



Two power Block



Corded Infeed



Jumper Cable



"C" Leg Table In-Surface Power – Option B

2 Power, 2 USB Charging



Corded Infeed



Jumper Cable



ARRAY

● Available
□ Not available

Linking Kit



Note: Quadrants are supplied with linking brackets

ARRAY

Array allows you to design multiple configurations to create your own individual environment. The table comprises of 2 end legs, 1 central beam, 2 outriggers and 1 synchronizing handle, and a 1" thick TFL top.

Mid Support
Offers additional surface stability on larger top sizes.

Outriggers
Aluminum outriggers are fitted to the table to provide stability across the table top.

Daisy Chaining Cable Management
Array allows easy access for cables from desk to desk by using soft flexible doors.

Flip Down
Flip down allows unrestricted access to the integrated cable channel while the desk top is deployed.

Handle
To lift the top pull on the single handle and lift the top upwards, the gas struts will aid you in the lifting of the top.

VCM
Array uses flexible vertical cable management for quick integration of the cables.

CONFIGURATIONS

Quadrants
Quadrants are frameless and allows table layouts to be quickly configured, using the linking brackets. These are a great method of creating extra worksurface space for occasional use.

WORK SURFACES

One top is provided per table



Array C leg table tops are available in 24" or 30" Depths and lengths of 48", 54", 60", 66", and 72".

Tops are available in 1" TFL.

TFL tops have a 2mm laser edge band all round.



FRAMEWORK




Feet

Array feet are made from die cast aluminum. Feet come in two depths 24" & 30" depending upon the sizes of top ordered. All feet come standard with braked large casters.




VCM

The extruded aluminum Vertical Cable Manager allows cables to be managed up into the cable channel.



VCM Covers

The Array Vertical Cable Manager comes as standard with flexible VCM covers, to easily retain cables, or the option of a push fit Aluminum cover.




Integral cable manager ends

The main beam ends allow connection between the VCM and Cable channel.



Gas Struts

Array is fitted with gas assisted lifting to help when operating the table and nesting.




Integral Cable Channel

The main beam assembly comprises of the main channel and magnetic drop, both parts are extruded aluminum. The main beam varies in length depending on the table size.



Outriggers

The outriggers support the table top at both ends. The outrigger also provides a secure connection between the top and main beam ends.



Single handle

The single handle synchronizes the two outrigger locks. This single operation of the handle will allow the latches to be disengaged easily.

ELECTRICS



Integrated Electrics

Array can be fitted with 2 different options for integrated power into the table.

OPTIONAL EXTRAS



Modesty Panel


Array can be retro fitted with a modesty panel which is made out of sheet Aluminum.



Linking Kit

Linking kit allows Array tables to be securely connected in a range of different configurations.

ARRAY – Rectangular Tables



- OL - Overall Length
- OD - Overall Depth
- A - Internal distances between legs
- B - Internal distances between outriggers
- C - Distance from edge of table to cable channel
- D - Distance to inside of leg from edge of top
- E - Knee clearance
- F - Depth of main beam
- G - Distance from rear top of desk to main beam
- H - Linking Distance


DIMENSIONS BASED ON 24" LEG

OL	48"	54"	60"	66"	72"
OD	24"	24"	24"	24"	24"
A	40.87"	46.89"	52.87"	58.86"	64.88"
B	30.75"	36.75"	42.75"	48.75"	54.75"
C	2"	2"	2"	2"	2"
D	3.5"	3.5"	3.5"	3.5"	3.5"
E	13.5"	13.5"	13.5"	13.5"	13.5"
F	4"	4"	4"	4"	4"
G	6.38"	6.38"	6.38"	6.38"	6.38"
H	24"	24"	24"	24"	24"

DIMENSIONS BASED ON 30" LEG

OL	48"	54"	60"	66"	72"
OD	30"	30"	30"	30"	30"
A	40.87"	46.89"	52.87"	58.86"	64.88"
B	30.75"	36.75"	42.75"	48.75"	54.75"
C	2"	2"	2"	2"	2"
D	3.5"	3.5"	3.5"	3.5"	3.5"
E	19.5"	19.5"	19.5"	19.5"	19.5"
F	4"	4"	4"	4"	4"
G	6.38"	6.38"	6.38"	6.38"	6.38"
H	30"	30"	30"	30"	30"

ARRAY – Half Round Tables




- OL - Overall Length
- OD - Overall Depth
- A - Internal distances between legs
- B - Internal distances between outriggers
- C - Distance from edge of table to cable channel
- D - Distance to inside of leg from edge of top
- E - Knee clearance
- F - Depth of main beam
- G - Distance from rear top of desk to main beam
- H - Linking Distance


DIMENSIONS BASED ON 24" LEG

OL	60"
OD	30"
A	32.25"
B	22"
C	12.25"
D	13.86"
E	20"
F	4"
G	5.83"
H	30"


ARRAY – 120° Crescent Tables




ARRAY – Trapezoid Tables



ARRAY – Polygon Tables





ARRAY – Nesting Tables



ARRAY – Wiring Diagram Option A – "C" Leg Table Power


ARRAY – Wiring Diagram Option B – "C" Leg Table Power




ARRAY – Typical Configurations

ARRAY – Typical Configurations


4 × 60" x 30" C leg
1x Large Polygon C leg




Trapezoidal
6x C leg




2x 60" x 30" C leg
3x Trapezoidal C leg



2 × 60" x 30" C leg
2x Crescent C leg



9x 60" x 30" C Leg
Array Tables



PRODUCT PRICING

[Back to Index](#)

PRODUCT PRICING

ARRAY

		Width (inch)						
		48" W	54" W	60" W	66" W	68" W	72" W	Power Option
	Array Rectangular 24" Depth	ARC4824RC 1,834 1,890 SEE NOTES 1 & 2	ARC5424RC 1,885 1,942 SEE NOTES 1 & 2	ARC6024RC 1,927 1,985 SEE NOTES 1 & 2	ARC6624RC 2,000 2,060 SEE NOTES 1 & 2	-	ARC7224RC 2,036 2,098 SEE NOTES 1 & 2	A, B
			Code		TFL Standard		TFL Premium Colors	
	Array Rectangular 30" Depth	ARC4830RC 1,900 1,957 SEE NOTES 1 & 2	ARC5430RC 1,953 2,012 SEE NOTES 1 & 2	ARC6030RC 1,999 2,059 SEE NOTES 1 & 2	ARC6630RC 2,073 2,136 SEE NOTES 1 & 2	-	ARC7230RC 2,113 2,177 SEE NOTES 1 & 2	A, B
			Code		TFL Standard		TFL Premium Colors	
	Array Half Round 30" Depth	-	-	ARC6030HR 1,903 1,961 SEE NOTES 1 & 2	-	-	-	A, B
			Code		TFL Standard		TFL Premium Colors	
	Array Crescent 30" Depth	-	-	-	-	ARC6830CR 1,976 2,036 SEE NOTES 1 & 2	-	A, B
			Code		TFL Standard		TFL Premium Colors	

Note 1: If power is required, please add "-A" or "-B" to the end of the table item code. Power units must be specified and ordered separately.
 Note 2: For integrated Aluminum cable riser option, please add \$125 to list price.

All prices listed in USD \$
 Ships KD = Knock Down (Assembly Required)

ARRAY

		Width (inch)						
		50" W	54" W	60" W	66" W	72" W	74" W	Power Option
	Array Trapezoid 30" Depth	-	-	ARC6030TP 2,019 2,080 SEE NOTES 1 & 2	-	-	-	A, B
			Code		TFL Standard		TFL Premium Colors	
	Array Polygon 24" Depth	ARC5028PS 1,892 1,949 SEE NOTES 1 & 2	-	-	-	-	-	A, B
			Code		TFL Standard		TFL Premium Colors	
	Array Polygon 30" Depth	-	-	ARC6032PL 1,984 2,044 SEE NOTES 1 & 2	-	-	-	A, B
			Code		TFL Standard		TFL Premium Colors	
	Linking Kit	HPLKBKT 92 SEE NOTE 3						
			Code		Price			

Note 1: If power is required, please add "-A" or "-B" to the end of the table item code. Power units must be specified and ordered separately.
 Note 2: For integrated Aluminum cable riser option, please add \$100 to list price.
 Note 3: 1x Linking Kit required per table connection.

All prices listed in USD \$
 Ships KD = Knock Down (Assembly Required)

Finishes & Features Available...

TFL Standard	UM Urban Maple WH White WK Winter Oak SO Strata Oak GRO Greige Castello Oak DHI Dark Rockford Hickory LG Light Gray
TFL Premium Colors	BLT Basalt PUW Premium White PUB Premium Black TAG Taupe Gray SLG Slate Gray COG Cobalt Gray ABL Alby Blue SGR Smoke Green DSA Deep Sahara
Leg Colors	Silver White Black

To specify your table...

1. Think through the configuration of Table you require
2. Select the Codes of the individual items you need to achieve your configuration
3. Choose Finishes where appropriate: 'top' finishes / frame color / fabric color
4. Consider supporting product, cable management, and accessories

PRODUCT PRICING

ARRAY – Optional Extras

Array Modesty Panel for Rectangular Top



Array Modesty Panel for Shaped Tops



Width (inch)					
48" W	54" W	60" W	66" W	72" W	
ARCMM48RC 202 209 SEE NOTE 1	ARCMM54RC 223 230 SEE NOTE 1	ARCMM60RC 235 243 SEE NOTE 1	ARCMM66RC 258 266 SEE NOTE 1	ARCMM72RC 296 305 SEE NOTE 1	Code TFL Standard TFL Premium Colors
Half Round	Crescent	Trapezoid	Polygon Small	Polygon Large	Code
ARCMMHR 176 182 SEE NOTE 1	ARCMMCR 176 182 SEE NOTE 1	ARCMMTP 165 170 SEE NOTE 1	ARCMMPS 199 205 SEE NOTE 1	ARCMMPL 208 215 SEE NOTE 1	Code TFL Standard TFL Premium Colors

Array Quadrant

45° Degree



Array Quadrant

90° Degree



Depth (inch)		
24" D	30" D	
ARQ2445 215 222 SEE NOTE 2	ARQ3045 238 246 SEE NOTE 2	Code TFL Standard TFL Premium Colors
ARQ2490 234 242 SEE NOTE 2	ARQ3090 267 276 SEE NOTE 2	Code TFL Standard TFL Premium Colors

Note 1: Available in Black, White, and Silver. Please specify when ordering.

Note 2: Please specify TFL when ordering. Quadrants supplied with linking brackets.

All prices listed in USD \$

Ships KD = Knock Down (Assembly Required)

Finishes & Features Available...

TFL Standard	UM Urban Maple WH White WK Winter Oak SO Strata Oak GRO Greige Castello Oak DHI Dark Rockford Hickory LG Light Gray
TFL Premium Colors	BLT Basalt PUW Premium White PUB Premium Black TAG Taupe Gray SLG Slate Gray COG Cobalt Gray ABL Alby Blue SGR Smoke Green DSA Deep Sahara
Leg Colors	Silver White Black

Back to Index

PRODUCT PRICING

ARRAY – Electrics

Power Option A

Power Unit for Training Tables



72" Corded Infeed

Required for Option A
Rated @ 20amp,
1 Circuit System

*If a 15 amp is required, please contact your CS representative

20 amp PLUG-IN view



Jumper Cable

For connecting power from one Array table to another



Flip Up Lid for Option A

Flip up unit, lid only



Power Option B

Power Unit for Training Tables



For tables 66" W and larger: The max amount of tables that can be daisy-chained per infeed is 4.

For tables 60" W and smaller: The max amount of tables that can be daisy-chained per infeed is 8.

72" Corded Infeed

Required for Option B



Jumper Cable

For connecting power from one Array table to another



Width (inch)					
48" W	54" W	60" W	66" W	72" W	
EKARSB4W2C 57					Code Price
AR72WINF42 200					Code Price
EKARSBJ48 86	EKARSBJ54 92	EKARSBJ60 96	EKARSBJ66 103	EKARSBJ72 109	Code Price
ARCUSMOP 183					Code Price
Width (inch)					
72" W		120" W			
ARCUSM2P 475		ARCUSM2P 475			Code Price
		SEE NOTES 1 & 3			
ARIQINF72 475		ARIQINF120 489			Code Price
ARIQJUMP 101					Code Price
SEE NOTE 2					

Note 1: Available in Black, White, and Silver. Please specify when ordering.

Note 2: Jumper required when ordering Array table larger than 60" width.

Note 3: Every jumper counts as a table due to its resistance load.

All prices listed in USD \$

Ships KD = Knock Down (Assembly Required)

To specify your table...

1. Think through the configuration of Table you require
2. Select the Codes of the individual items you need to achieve your configuration
3. Choose Finishes where appropriate: 'top' finishes / frame color / fabric color
4. Consider supporting product, cable management, and accessories

COLLABORATIVE TABLES

With every Senator design comes a great deal of thought. The design process begins way before pencil reaches paper, beginning with looking at you. We look at how you sit, reach, move and work to create a design which not only looks beautiful, but is a pleasure to use too.

Behind every Senator product is a fusion of intelligent thinking and innovative engineering to create products which support people whether they're focusing, collaborating, presenting, or organizing.

COLLABORATIVE TABLES

STANDARD FEATURES (*Selected models only)

- Rigid cast Aluminum frame
- Full integrated cable management
- Fully lockable brake casters
- Nesting capabilities
- Gas assisted lift operation
- Single handle to unlock
- Integrated flexible swipe-in cable risers
- 1" TFL tops

SPECIFIABLE FEATURES

- Aluminum cable riser

OPTIONAL EXTRAS


- Below desk power complete with flip unit
- In-surface power unit
- Flip in-surface power unit

PERFORMANCE STANDARDS

Designed to conform to and where applicable is tested to the following standards:

- BIFMA X5.5 × 2014
- Safety, Durability, and Structural Performance

DIMENSIONS



Rectangular
Widths: 54" - 96"
Depths: 30" & 36"

COLLABORATIVE TABLES

● Available
 □ Not available

Collaborative Rectangular Table
 30" & 36" depths



Depth (in)	54"	60"	66"	72"	78"	84"	90"	96"
30" D	●	●	●	●	●	●	●	●
36" D	●	●	●	●	●	●	●	●


"I" Leg Table In-Surface Power
 Option C

3 Power, 2 USB Charging



Large grid area for notes.

COLLABORATIVE TABLES



Mid Support
Offers additional surface stability on larger top sizes.

Outriggers
Aluminum outriggers are fitted to the table to provide stability across the table top.

Daisy Chaining Cable Management
Array allows easy access for cables from desk to desk by using soft flexible doors.

Flip Down
Flip down allows unrestricted access to the integrated cable channel while the desk top is deployed.

Handle
To lift the top pull on the single handle and lift the top upwards, the gas struts will aid you in the lifting of the top.

VCM
Array uses flexible vertical cable management for quick integration of the cables.

Inset Leg
Array collaborative tables come as standard with an inset leg of 11.75," allowing users to sit at each end of the table for collaborative working.

WORK SURFACES

One top is provided per table



1 leg table tops are available in 30" or 36" Depths and lengths of 54", 60", 66", 72", 78", 84", 90" and 96".

Tops are available in 1" TFL.

TFL tops have a 2mm laser edge band all round.




FRAMEWORK




Feet
Array feet are made from die cast aluminum. Feet come in two depths 24" & 30" depending upon the sizes of top ordered. All feet come standard with braked large casters.



VCM
The extruded aluminium Vertical Cable Manager allows cables to be managed up into the cable channel.




VCM Covers
The Array Vertical Cable Manager comes as standard with flexible VCM covers, to easily retain cables, or the option of a push fit Aluminum cover.



Integral cable manager ends
The main beam ends allow connection between the VCM and Cable channel.




Gas Struts
Array is fitted with gas assisted lifting to help when operating the table and nesting.



Integral Cable Channel
The main beam assembly comprises of the main channel and magnetic drop, both parts are extruded aluminum. The main beam varies in length depending on the table size.



Outriggers
The outriggers support the table top at both ends. The outrigger also provides a secure connection between the top and main beam ends.




Single handle
The single handle synchronizes the two outrigger locks. This single operation of the handle will allow the latches to be disengaged easily.

ELECTRICS



Integrated Electrics
Array can be fitted with integrated power in the table.

COLLABORATIVE TABLES – Rectangular Tables



DIMENSIONS BASED ON 30" LEG

OL - Overall Length	OL	54"	60"	66"	72"	78"	84"	90"	96"
OD - Overall Depth	OD	30"	30"	30"	30"	30"	30"	30"	30"
A - Internal distances between legs	A	27.25"	33.25"	39.25"	45.25"	51.25"	57.25"	63.25"	69.25"
B - Internal distances between outriggers	B	17"	22"	28"	34"	54.75"	59.65"	66.75"	72.75"
C - Distance from edge of table to cable channel	C	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"
D - Distance to inside of leg from edge of top	D	13.5"	13.5"	13.5"	13.5"	13.5"	13.5"	13.5"	13.5"
E - Knee clearance	E	13"	13"	13"	13"	13"	13"	13"	13"
F - Depth of main beam	F	4"	4"	4"	4"	4"	4"	4"	4"
G - Distance from rear top of desk to main beam	G	13"	13"	13"	13"	13"	13"	13"	13"
H - Linking Distance	H	30"	30"	30"	30"	30"	30"	30"	30"

DIMENSIONS BASED ON 36" LEG



OL - Overall Length	OL	54"	60"	66"	72"	78"	84"	90"	96"
OD - Overall Depth	OD	36"	36"	36"	36"	36"	36"	36"	36"
A - Internal distances between legs	A	27.25"	33.25"	39.25"	45.25"	51.25"	57.25"	63.25"	69.25"
B - Internal distances between outriggers	B	17"	22"	28"	34"	54.75"	59.75"	66.75"	72.75"
C - Distance from edge of table to cable channel	C	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"
D - Distance to inside of leg from edge of top	D	13.4"	13.4"	13.4"	13.4"	13.4"	13.4"	13.4"	13.4"
E - Knee clearance	E	16"	16"	16"	16"	16"	16"	16"	16"
F - Depth of main beam	F	4"	4"	4"	4"	4"	4"	4"	4"
G - Distance from rear top of desk to main beam	G	16"	16"	16"	16"	16"	16"	16"	16"
H - Linking Distance	H	36"	36"	36"	36"	36"	36"	36"	36"

COLLABORATIVE TABLES – Nesting Tables

- A - Linking Distance
- B - Overall depth when nesting 3 tables
- C - Additional nesting depth per table
- D - Single leg depth caster to caster
- E - Overall height in nesting position
- F - Overall height to central support
- G - Top angle when nested
- H - Overall width when nesting 3 tables
- I - Additional nesting width per table


A	24"	30"
B	37.85"	44"
C	9"	9.25"
D	19.75"	25.5"
E	42.5"	49.25"
F	28.15"	28.15"
G	50°	60°
H	76"	76"
I	2"	2"

*Based On 72" Wide Models



ARRAY – "I" Leg Table Power Option C


Typical table wiring layout
In surface power



Integral Vertical
Cable Management


3 Power, 2 USB
Charging In Table Power

Corded Infeed



OPTION C COMPRISES OF:

In-Surface Power



COLLABORATIVE TABLES

Array Rectangular 30" Depth



Array Rectangular 36" Depth



Power Option C Built in Power Unit for Project Tables



Width (inch)									Power Option	
54" W	60" W	66" W	72" W	78" W	84" W	90" W	96" W			
ARI5430RC	ARI6030RC	ARI6630RC	ARI7230RC	ARI7830RC	ARI8430RC	ARI9030RC	ARI9630RC		C	Code
1,884 1,941	1,923 1,981	1,965 2,024	2,024 2,085	2,072 2,135	2,113 2,177	2,195 2,261	2,282 2,351			TFL Standard
SEE NOTES 1 & 2			TFL Premium Colors							
ARI5436RC	ARI6036RC	ARI6636RC	ARI7236RC	ARI7836RC	ARI8436RC	ARI9036RC	ARI9636RC		C	Code
1,956 2,015	1,999 2,059	2,043 2,105	2,406 2,479	2,166 2,231	2,212 2,279	2,292 2,361	2,377 2,449			TFL Standard
SEE NOTES 1 & 2			TFL Premium Colors							
ARIUSM3P										Code
520										Price
SEE NOTE 3										

Note 1: If power is required, please add "-C" to the end of the table item code.
Power units must be specified and ordered separately.

Note 2: For integrated Aluminum cable riser option, please add \$125 to list price.

Note 3: Available in Black, White, and Silver. Please specify when ordering.

All prices listed in USD \$

Ships KD = Knock Down (Assembly Required)

Finishes & Features Available...

TFL Standard	UM Urban Maple WH White WK Winter Oak SO Strata Oak GRO Greige Castello Oak DHI Dark Rockford Hickory LG Light Gray
TFL Premium Colors	BLT Basalt PUW Premium White PUB Premium Black TAG Taupe Gray SLG Slate Gray COG Cobalt Gray ABL Alby Blue SGR Smoke Green DSA Deep Sahara
Leg Colors	Silver White Black

To specify your table...

1. Think through the configuration of Table you require
2. Select the Codes of the individual items you need to achieve your configuration
3. Choose Finishes where appropriate: 'top' finishes / frame color / fabric color
4. Consider supporting product, cable management, and accessories

FINISHES

ARRAY TABLES FINISHES – Standard Top Finishes

TFL STANDARD



Strata Oak



Urban Maple



White



Greige Castello Oak



Dark Rockford Hickory




Winter Oak



Light Gray

TFL PREMIUM COLORS



Basalt



Premium White



Premium Black



Taupe Gray



Slate Gray



Cobalt Gray



Alby Blue



Smoke Green



Deep Sahara

ARRAY



Ply Effect Edging

CONTRASTING EDGE BAND

All TFL (Edge 69) tops come with a matching edge band as standard. Contrasting edge band can be specified.

Please contact customer service if you require a contrasting edge band.



FRAME / LEG FINISHES



White



Silver



Black


FLEXIBLE CABLE RISER FINISHES



Gray with White Frame



Gray with Silver Frame



Black with Black Frame

