ADAPT WALL SENATOR

This constant reaction to the change of an individual's daily working routine was the catalyst for Adapt. Born out of the idea to create mobile partitions — to enable more agile, fluid, and flexible spaces — empowering every user to create spaces that work for them at that moment.

OVERVIEW



DESIGNER



Senator

Our team of talented in house designers are responsible for creating elegant, innovative furniture designs which not only look beautiful, but minimise the impact on the world around us.

They come from all over the world, but are based in our Design Center located in a quiet Lancashire village just outside the Ribble Valley. Our dedicated facility is over three floors which include studios, a materials test center and prototyping lab.

CERTIFICATION

Standard Features

- 1950mm High alumiunium powder coated frame
- · Castors

- · 1250 / 1650 mm wide frames
- MFC / Fabric / Drywipe / Magnetic Drywipe / Media panel options
- · Glides
- · Shelves
- · Sliding Door Storage
- · Drawer Storage
- · Coat Hanger

Performance Standards

- · EN 1023: Part 2: 2000
- · EN 16121:2013+A1:2017

DIMENSIONS

H - 1965 (mm) W - 1250 (mm) D - 530 (mm)



H - 1965 (mm) W - 1650 (mm) D - 530 (mm)



H - 1965 (mm) W - 1250 (mm) D - 530 (mm)



H - 1965 (mm) W - 1650 (mm) D - 530 (mm)



H - 1965 (mm) W - 1250 (mm) D - 530 (mm)



H - 1965 (mm) W - 1650 (mm) D - 530 (mm)



ENVIRONMENTAL PERFORMANCE

Material Content

Components are constructed of the following

| | | 2.33% |
|----------------|----------|--------|
| Fabric | | |
| | | 1.35% |
| Nylon (30% g | lass) | |
| | | 27.40% |
| MDF | | |
| | | 32.04% |
| Plywood | | |
| | | 9.46% |
| Aluminium Ca | stings | |
| | | 24.42% |
| Aluminium Ext | rusion | |
| | | 0.42% |
| Stainless Stee | el (304) | |
| | | 0.45% |
| Steel | | |
| | | 0.76% |
| Zinc Castings | | |
| | | 1.37% |
| | | |

Recycled Content

Contains up to 46.15% of Recycled Material

| | 1.00% |
|---------------------|--------|
| Fabric | |
| | 12.15% |
| MDF | |
| | 9.00% |
| Aluminium Castings | |
| | 24.00% |
| Aluminium Extrusion | |

Recyclability

The range is 99% recyclable



High Pressure

Environmental information for this range has been based on AW2016FFD. For more detail please refer to individual EPA sheets.

THE THREE R'S

Senator is committed to continually improving the sustainability of all environmental aspects within our business. To meet both international standards and our own environmental targets we apply the three R's principle – Reduce, Reuse and Recycle.

Whilst recycling is the element which receives the most exposure it is actually the last option available and should never be the prime target in anyone's battle to reduce waste.

It is our duty as individuals and as a company to initially attempt to **Reduce** usage. Then we should look to **Reuse** wherever possible and finally, only after these two processes have been exhausted, should we consider **Recycling**.


-Reduce-Reuse-Recycle

FINISHES

Options

- · Aluminium frame available in Black, or White powder coat
- Fabric panels available in Camira Blazer
- MFC panels available in Maple or Strata Oak

Frame Finishes



MFC Finishes

